

EVoline[®] FrameDock




A flexible modular system for various applications.


EVoline® FrameDock

EVoline FrameDock is a flush fitting system which can be installed horizontally or vertically - be it on a desk, a kitchen worktop, a wall, or a side of a piece of furniture. It can be mounted almost everywhere due to its low mounting depth of 51 mm and installation from the top:

High quality design, customisable components and yet discreet.




Dimensions in mm




Profile	Aluminium
Screw Cover	Plastics
Installations	Flush-Mounted (51 mm)
Surface thickness	5 – 38 mm
Configurable	yes

Examples of power supply options:




Fixed Power Supply Cable through the bottom of the profile

Available with several country specific plugs, with wire end ferrules, Wieland GST 18i3, or WAGO WINSTA connector



End cap with power input or output connector, depending on the surface thickness (max. 18 mm)



End cap with fixed power supply cable, depending on the surface thickness (max. 18 mm)

Available with several country specific plugs, EVoline Plug, wire end ferrules, Wieland GST 18- or WAGO WINSTA connector.

EVOLine®

Schulte Elektrotechnik GmbH & Co. KG

Juengerstrasse 21
D-58515 Luedenscheid
Germany

Telephone +49 23 51 / 94 81-0
Fax +49 23 51 / 4 26 58

E-Mail info@schulte.com
Internet www.evoline.com

