


EVOLINE® Qi Charger





Pure minimalism

EVoline® Qi Charger

EVoline Charger Qi allows charging of any Qi-capable device without cables or any other accessories on a single charging station.

Installed below the desk or work surface makes the charger completely invisible. It also may be mounted into a \varnothing 80 mm opening.

Place the device to be charged simply on the work surface above – pure minimalism.



Dimensions in mm

Housing	Plastics, black
Lid	Plastics, black Printing white
Installation	Embedding Mounting
WPC Standard	Spec. 1.2.2 "Qi"
Qi-Certificate	ID 2409

Description

Picture

Specifications

Order Number

EVOLine Qi Charger

Wireless charger according WPC standard Spec. 1.2.2 "Qi".
The coil is mounted below the work surface or is mounted into an opening Ø 80 mm.

Operating voltage 5 V
Charging capacity max. 5 W

Mains adapter:
1.2 m USB connection cable



1599 0911 2800



Wireless charging

- resonant inductive coupling between transmitter (charging station) and receiver (mobile phone)
- vendor independent, charges any Qi compatible device
- transmitter coil is active only when a connection to the receiving device is made

EVOLine®

Schulte Elektrotechnik GmbH & Co. KG

Juengerstrasse 21
D-58515 Luedenscheid
Germany

Telephone +49 23 51 / 94 81-0
Fax +49 23 51 / 4 26 58

E-Mail info@schulte.com
Internet www.evoline.com

